



665040" 08-198260

FIG. 1




665040 "0849260

FIG. 2



APPROVED  BY  DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

FIG. 3



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG.4A

FRAME      SUB-CODING FRAME

98n+1	SYNCHRONIZATION PATTERN (S0)
98n+2	SYNCHRONIZATION PATTERN (S1)
98n+3	P <sub>1</sub> Q <sub>1</sub> R <sub>1</sub> S <sub>1</sub> T <sub>1</sub> U <sub>1</sub> V <sub>1</sub> W <sub>1</sub>
98n+4	P <sub>2</sub> Q <sub>2</sub> R <sub>2</sub> S <sub>2</sub> T <sub>2</sub> U <sub>2</sub> V <sub>2</sub> W <sub>2</sub>
⋮	⋮ ⋮ ⋮ ⋮ ⋮ ⋮ ⋮
98n+97	P <sub>95</sub> Q <sub>95</sub> R <sub>95</sub> S <sub>95</sub> T <sub>95</sub> U <sub>95</sub> V <sub>95</sub> W <sub>95</sub>
98n+98	P <sub>96</sub> Q <sub>96</sub> R <sub>96</sub> S <sub>96</sub> T <sub>96</sub> U <sub>96</sub> V <sub>96</sub> W <sub>96</sub>
98 <sub>(n+1)</sub> +1	

FIG.4B

Q <sub>1</sub> ~Q <sub>4</sub>	Q <sub>5</sub> ~Q <sub>8</sub>	Q <sub>9</sub> ~      Q <sub>80</sub>	Q <sub>81</sub> ~ Q <sub>96</sub>
CONTROL	ADDRESS	SUB-QDATA	CRC

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

665040" 08498260

FIG. 5A





FIG. 5B





APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

UP TO 2048  
PACKS  
(UP TO 512  
PACKS ARE  
RECOMMENDED)

FIG. 7A



FIG. 7B





FIG. 7C



6650410 "DB-98250"

FIG. 8A






FIG. 8C





655040" 02498260

FIG. 9



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

665040" 03493260




FIG. 10A

FIG. 10B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

155040 "08-93264"

FIG. 11




FIG.12




FIG.13A




FIG.13B




FIG.13C





FIG.13D



- 2-BYTE-CODE  
FLAG  
  
(1=2BYTES)  
(0=1BYTE)
- BLOCK  
NUMBER  
000=ASCII  
001=  
010=  
011=  
100=  
101=  
110=  
111=
- CHARACTER  
POSITION OF  
A PRESENT  
PACK  
0000=1ST CHARACTER  
0001=2ND CHARACTER  
0010=3RD CHARACTER  
0011=4TH CHARACTER  
0100=5TH CHARACTER  
0101=6TH CHARACTER  
  
1110=15TH CHARACTER  
1111=16TH  
OR SUBSEQUENT  
CHARACTER

09884-B0-04599 665040-03493260

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


# FIG.14

ID1	DESCRIPTION OF THE IDENTIFICATION
80h	ALBUM NAME (ID2=00h)/TRACK SONG NAME (ID2=01h to 63h)
81h	PERFORMER/CONDUCTOR/ORCHESTRA NAME
82h	NAME OF SONG-WORD COMPOSER
83h	NAME OF SONG WRITER
84h	NAME OF MUSIC ARRANGER
85h	MESSAGE
86h	DISC ID
87h	GENRE
88h	TOC
89h	2ND TOC
8Ah	RESERVED
8Bh	RESERVED
8Ch	RESERVED
8Dh	CONTROL
8Eh	Pos / ISRC
8Fh	SIZE

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66504D" 03493260

FIG.15



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 16A





FIG. 16B



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 17A

71 File Window View Option Help

TITLE \_\_\_\_\_ 73

ARTIST \_\_\_\_\_ 74

TRACK

-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○
-	_____	○

75

77

70

FIG. 17B

71 File Window View Option Help

TITLE DISC TITLE 73

ARTIST DISC ARTIST 74

TRACK

1	Track Title	●
2	Track Title	●
3	Track Title	○
4	Track Title	●
5	Track Title	○
6	Track Title	●
7	Track Title	○
8	Track Title	●
9	Track Title	○
-	_____	○

75

77

70



FIG. 18A






FIG. 18B



# FIG. 19



00285480 04059